## Montana Board of Oil and Gas Conservation Environmental Assessment

Well Name/Number: Highline 02-0904H
Location: SW SE Section 9 T29N R59E
County: Roosevelt, MT; Field (or Wildcat) Wildcat
Air Quality
(possible concerns)
Long drilling time: No, 30 to 40 days drilling time.
Unusually deep drilling (high horsepower rig): No, triple derrick rig to drill a single lateral Bakken
Formation horizontal well test, 20,422'MD/10,534'TVD.
Possible H2S gas production: Slight chance of H2S, from the Mississippian Formations.
In/near Class I air quality area: No Class I air quality area, in the area of review.
Air quality permit for flaring/venting (if productive): Yes, DEQ air quality permit required under rule 75-
<u>2-211.</u>
Mitigation:
X Air quality permit (AQB review)
X Gas plants/pipelines available for sour gas
Special equipment/procedures requirements
Other: Comments: If there are existing pipelines for natural gas in the area then gas must be tied into a
gathering system or if there isn't a gathering system nearby, associated gas can be flared under Board Rule
36.22.1220. This is a single lateral, 20,422'MD/10,534'TVD, Bakken Formation horizontal well.
Water Quality
Water Quality (possible concerns)
the contract of the contract o
(possible concerns)
(possible concerns) Salt/oil based mud: Yes to intermediate casing string hole to be drilled with oil based invert drilling fluids. Horizontal lateral will be drilled with oil based invert drilling fluid. Surface casing hole will be drilled with freshwater and freshwater drilling mud system.
(possible concerns) Salt/oil based mud: Yes to intermediate casing string hole to be drilled with oil based invert drilling fluids. Horizontal lateral will be drilled with oil based invert drilling fluid. Surface casing hole will be drilled with freshwater and freshwater drilling mud system. High water table: No high water table anticipated at this location.
(possible concerns) Salt/oil based mud: Yes to intermediate casing string hole to be drilled with oil based invert drilling fluids. Horizontal lateral will be drilled with oil based invert drilling fluid. Surface casing hole will be drilled with freshwater and freshwater drilling mud system. High water table: No high water table anticipated at this location. Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainage to
(possible concerns) Salt/oil based mud: Yes to intermediate casing string hole to be drilled with oil based invert drilling fluids. Horizontal lateral will be drilled with oil based invert drilling fluid. Surface casing hole will be drilled with freshwater and freshwater drilling mud system. High water table: No high water table anticipated at this location. Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainage to Little Muddy Creek, about ¼ of a mile to the southwest from this location.
(possible concerns) Salt/oil based mud: Yes to intermediate casing string hole to be drilled with oil based invert drilling fluids. Horizontal lateral will be drilled with oil based invert drilling fluid. Surface casing hole will be drilled with freshwater and freshwater drilling mud system. High water table: No high water table anticipated at this location. Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainage to Little Muddy Creek, about ¼ of a mile to the southwest from this location. Water well contamination: No, closest water wells are about 5/8 of a mile to the northwest and about 5/8
(possible concerns) Salt/oil based mud: Yes to intermediate casing string hole to be drilled with oil based invert drilling fluids. Horizontal lateral will be drilled with oil based invert drilling fluid. Surface casing hole will be drilled with freshwater and freshwater drilling mud system. High water table: No high water table anticipated at this location. Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainage to Little Muddy Creek, about ¼ of a mile to the southwest from this location. Water well contamination: No, closest water wells are about 5/8 of a mile to the northwest and about 5/8 of a mile to the southwest from this location. Surface casing will be drilled with freshwater, casing set to
(possible concerns) Salt/oil based mud: Yes to intermediate casing string hole to be drilled with oil based invert drilling fluids. Horizontal lateral will be drilled with oil based invert drilling fluid. Surface casing hole will be drilled with freshwater and freshwater drilling mud system. High water table: No high water table anticipated at this location. Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainage to Little Muddy Creek, about ¼ of a mile to the southwest from this location. Water well contamination: No, closest water wells are about 5/8 of a mile to the northwest and about 5/8 of a mile to the southwest from this location. Surface casing will be drilled with freshwater, casing set to 2075' and cemented back to surface.
(possible concerns) Salt/oil based mud: Yes to intermediate casing string hole to be drilled with oil based invert drilling fluids. Horizontal lateral will be drilled with oil based invert drilling fluid. Surface casing hole will be drilled with freshwater and freshwater drilling mud system. High water table: No high water table anticipated at this location. Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainage to Little Muddy Creek, about ¼ of a mile to the southwest from this location. Water well contamination: No, closest water wells are about 5/8 of a mile to the northwest and about 5/8 of a mile to the southwest from this location. Surface casing will be drilled with freshwater, casing set to 2075' and cemented back to surface. Porous/permeable soils: No, sandy silty clay soils.
(possible concerns)  Salt/oil based mud: Yes to intermediate casing string hole to be drilled with oil based invert drilling fluids. Horizontal lateral will be drilled with oil based invert drilling fluid. Surface casing hole will be drilled with freshwater and freshwater drilling mud system.  High water table: No high water table anticipated at this location.  Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainage to Little Muddy Creek, about ¼ of a mile to the southwest from this location.  Water well contamination: No, closest water wells are about 5/8 of a mile to the northwest and about 5/8 of a mile to the southwest from this location. Surface casing will be drilled with freshwater, casing set to 2075' and cemented back to surface.  Porous/permeable soils: No, sandy silty clay soils.  Class I stream drainage No, Class I stream drainages.
Salt/oil based mud: Yes to intermediate casing string hole to be drilled with oil based invert drilling fluids. Horizontal lateral will be drilled with oil based invert drilling fluid. Surface casing hole will be drilled with freshwater and freshwater drilling mud system.  High water table: No high water table anticipated at this location.  Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainage to Little Muddy Creek, about ¼ of a mile to the southwest from this location.  Water well contamination: No, closest water wells are about 5/8 of a mile to the northwest and about 5/8 of a mile to the southwest from this location. Surface casing will be drilled with freshwater, casing set to 2075' and cemented back to surface.  Porous/permeable soils: No, sandy silty clay soils.  Class I stream drainage No, Class I stream drainages.  Mitigation:
(possible concerns)  Salt/oil based mud: Yes to intermediate casing string hole to be drilled with oil based invert drilling fluids. Horizontal lateral will be drilled with oil based invert drilling fluid. Surface casing hole will be drilled with freshwater and freshwater drilling mud system.  High water table: No high water table anticipated at this location.  Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainage to Little Muddy Creek, about ¼ of a mile to the southwest from this location.  Water well contamination: No, closest water wells are about 5/8 of a mile to the northwest and about 5/8 of a mile to the southwest from this location. Surface casing will be drilled with freshwater, casing set to 2075' and cemented back to surface.  Porous/permeable soils: No, sandy silty clay soils.  Class I stream drainage No, Class I stream drainages.  Mitigation:  X Lined reserve pit
(possible concerns)  Salt/oil based mud: Yes to intermediate casing string hole to be drilled with oil based invert drilling fluids. Horizontal lateral will be drilled with oil based invert drilling fluid. Surface casing hole will be drilled with freshwater and freshwater drilling mud system.  High water table: No high water table anticipated at this location.  Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainage to Little Muddy Creek, about ¼ of a mile to the southwest from this location.  Water well contamination: No, closest water wells are about 5/8 of a mile to the northwest and about 5/8 of a mile to the southwest from this location. Surface casing will be drilled with freshwater, casing set to 2075' and cemented back to surface.  Porous/permeable soils: No, sandy silty clay soils.  Class I stream drainage No, Class I stream drainages.  Mitigation:  X Lined reserve pit X Adequate surface casing
(possible concerns)  Salt/oil based mud: Yes to intermediate casing string hole to be drilled with oil based invert drilling fluids. Horizontal lateral will be drilled with oil based invert drilling fluid. Surface casing hole will be drilled with freshwater and freshwater drilling mud system.  High water table: No high water table anticipated at this location.  Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainage to Little Muddy Creek, about ¼ of a mile to the southwest from this location.  Water well contamination: No, closest water wells are about 5/8 of a mile to the northwest and about 5/8 of a mile to the southwest from this location. Surface casing will be drilled with freshwater, casing set to 2075' and cemented back to surface.  Porous/permeable soils: No, sandy silty clay soils.  Class I stream drainage No, Class I stream drainages.  Mitigation:  X Lined reserve pit  X Adequate surface casing  Berms/dykes, re-routed drainage
(possible concerns)  Salt/oil based mud: Yes to intermediate casing string hole to be drilled with oil based invert drilling fluids. Horizontal lateral will be drilled with oil based invert drilling fluid. Surface casing hole will be drilled with freshwater and freshwater drilling mud system.  High water table: No high water table anticipated at this location.  Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainage to Little Muddy Creek, about ¼ of a mile to the southwest from this location.  Water well contamination: No, closest water wells are about 5/8 of a mile to the northwest and about 5/8 of a mile to the southwest from this location. Surface casing will be drilled with freshwater, casing set to 2075' and cemented back to surface.  Porous/permeable soils: No, sandy silty clay soils.  Class I stream drainage No, Class I stream drainages.  Mitigation:  X Lined reserve pit  X Adequate surface casing  Berms/dykes, re-routed drainage  X Closed mud system
(possible concerns)  Salt/oil based mud: Yes to intermediate casing string hole to be drilled with oil based invert drilling fluids. Horizontal lateral will be drilled with oil based invert drilling fluid. Surface casing hole will be drilled with freshwater and freshwater drilling mud system.  High water table: No high water table anticipated at this location.  Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainage to Little Muddy Creek, about ¼ of a mile to the southwest from this location.  Water well contamination: No, closest water wells are about 5/8 of a mile to the northwest and about 5/8 of a mile to the southwest from this location. Surface casing will be drilled with freshwater, casing set to 2075' and cemented back to surface.  Porous/permeable soils: No, sandy silty clay soils.  Class I stream drainage No, Class I stream drainages.  Mitigation:  X Lined reserve pit  X Adequate surface casing  Berms/dykes, re-routed drainage

covering Base of the Fox Hills aquifer. Surface hole will be drilled with freshwater and freshwater muds

to 2075'. Steel surface casing will be run and cemented to surface from 2075'.

## Soils/Vegetation/Land Use

(possible concerns)

Steam crossings: None anticipated.

High erosion potential: No high erosion potential, location will require a small cut, up to 9.6 and small fill, up to 5.2', required.

Loss of soil productivity: <u>Slight, location to be restored after drilling well if well is nonproductive.</u> If productive unused portion of wellsite will be reclaimed.

Unusually large wellsite: No, location is a large wellsite, 330'X450' in size.

Damage to improvements: Slight, surface use appears to be cultivated.

Conflict with existing land use/values: Slight

Mitigation

- \_\_ Avoid improvements (topographic tolerance)
- \_\_ Exception location requested
- X Stockpile topsoil
- \_\_ Stream Crossing Permit (other agency review)
- X Reclaim unused part of wellsite if productive
- \_\_ Special construction methods to enhance reclamation
- X Other: Requires DEQ General Permit for Storm Water Discharge Associated with Construction Activity, under ARM 17.30.1102(28).

Comments: Access will be over existing county gravel road in North Dakota highway, #6 and 156 Ave NW. About 103' of new access road will be built off the existing county road into this location. Oil based drilling fluids will be recycled. Freshwater surface hole cuttings will be buried on site. Oil based drill cuttings will be buried in the lined cuttings pit. Completion pit fluids will be hauled to a permitted Class II saltwater disposal. Pit will be backfilled when dry. No concerns.

## Health Hazards/Noise

(possible concerns)

Proximity to public facilities/residences: <u>Closest residences in the surrounding area are about 5/8 of a mile to the northwest and about 1.125 mile to the southwest from this location.</u> The town of Bainville, <u>Montana is about 12 miles to the southwest from this location.</u>

Possibility of H2S: <u>Slight possibility of H2S from Mississippian Formations.</u>

Size of rig/length of drilling time: Triple drilling rig 30 to 40 days drilling time.

Mitigation:

·	Dronor	$\nu \iota \iota \nu$	00111	nmant
$\sim$	Proper	1)()[	COUL	онен

- \_\_ Topographic sound barriers
- \_\_ H2S contingency and/or evacuation plan
- \_\_ Special equipment/procedures requirements

Other:

Comments: <u>Adequate surface casing cemented to surface with working BOP stack should</u> <u>mitigate any problems.</u> Noise should not be a problems, sufficient distance from residence to rig <u>should mitigate this.</u>

## Wildlife/recreation

(possible concerns)

Proximity to sensitive wildlife areas (DFWP identified): <u>Medicine Lake National Wildlife Refuge is about 16.5 miles to the northwest from this location.</u>

Proximity to recreation sites: <u>Medicine Lake National Wildlife Refuge is about 16.5 miles to the</u> northwest from this location.

Creation of new access to wildlife habitat: None

Conflict with game range/refuge management: None				
Threatened or endangered Species: Threatened or endangered species listed in Roosevelt county by				
USFW service are Pallid Sturgeon, Piping Plover, Interior Lease Tern and Whooping Crane. Candidate				
species is the Sprague's Pipit. NH Tracker website list one (1) species of concern: Whooping Crane.				
Mitigation:				
Avoidance (topographic tolerance/exception)				
Other agency review (DFWP, federal agencies, DSL)				
Screening/fencing of pits, drillsite				
Other:				
Comments: Slight, surface use appears to be cultivated land. There maybe species of concern that				
maybe impacted by this wellsite. We ask the operator to consult with the surface owner as to what he				
would like done, if a species of concern is discovered at this location. The Board of Oil & Gas has no				
jurisdiction over private surface lands.				
Historical/Cultural/Paleontological				
(possible concerns)				
Proximity to known sites None identified.				
Mitigation				
avoidance (topographic tolerance, location exception)				
other agency review (SHPO, DSL, federal agencies)				
Other:				
Comments Slight, surface use appears to be cultivated land. There maybe possible				
historical/cultural/paleontological sites that maybe impacted by this wellsite. We ask the operator to				
consult with the surface owner as to his desires to preserve these sites or not, if they are found during				
construction of the wellsite. The Board of Oil & Gas has no jurisdiction over private surface lands.				
Social/Economic				
(possible concerns)				
Substantial effect on tax base				
Create demand for new governmental services				
Population increase or relocation				
Comments: Wildcat Bakken Formation, single lateral horizontal oil well test. No concerns.				
Remarks or Special Concerns for this site				
Remarks of Special Concerns for tims site				
Drill a wildcat single lateral Bakken Formation horizontal well test, 20,422'MD/10,534'TVD.				
Summary: Evaluation of Impacts and Cumulative effects				
No long term impacts expected, only some short term impacts will occur.				

I conclude that the approval of the subject Notice of Intent to Drill (does/ $\underline{\text{does not}}$ ) constitute a major action of state government significantly affecting the quality of the human environment, and (does/ $\underline{\text{does}}$   $\underline{\text{not}}$ ) require the preparation of an environmental impact statement.

Prepared by (BOGC): /s/Steven Sasaki
(title:) Chief Field Inspector
Date: May 23, 2012
Other Persons Contacted:
(Name and Agency)
Montana Bureau of Mines and Geology, Groundwater Information Center website.
(subject discussed) Water wells in Roosevelt County
(date) May 23, 2012
US Fish and Wildlife, Region 6 website
(Name and Agency)
ENDANGERED, THREATENED, PROPOSED AND CANDIDATE SPECIES MONTANA
COUNTIES, Roosevelt County
(subject discussed)
May 23, 2012
(date)
Montana Natural Heritage Program Website (FWP)
(Name and Agency)
Heritage State Rank= S1, S2, S3, T29N R59E
(subject discussed)
_May 23, 2012
(date)
If location was inspected before permit approval:
Inspection date:
Inspector:
Others present during inspection: